

Organometallic Single & Multi-Element Oil Standards

Organometallic Oil Standards

Organometallic Single & Multi-Element Oil Standards

The determination of wear metals in engine oils and other lubricants can be applied to machines such as automobiles, aircraft, heavy equipment, trucks, locomotives, military vehicles, etc. The examples are endless.

By tracking metals suspended in the used oil, engineers, designers and mechanics can determine the breakdown of specific engine parts. Specific elements present in used oils have been found to be directly related to specific engine problems. Engine failures, as well as expensive repairs, can be avoided if engine oils are analyzed, providing a periodic trend to predict maintenance or replacement.

SPEX CertiPrep presents a comprehensive offering of Organometallic Oil Standards. The benefits and advantages of these standards are many:

- Choice of over 35 single-elements at 1,000 or 5,000 µg/g
- Popular multi-element blends of 23, 21, 12, or 5 elements
- Clear, transparent matrix
- 1 year expiration date
- Convenient sizes: 50 or 100 grams
- Certificate of Analysis with every solution
- Guaranteed stable and accurate
- Manufactured under an internationally accredited ISO 9001 quality system and compliant with ISO/IEC 17025
- Custom standards available

Applications

- Wear metals
- Crude oils
- Additive metals
- Environmental monitoring
- Petrochemical testing
- Pharmaceuticals
- Food processing
- Sulfur in diesel fuel

Organometallic Oil Standards

Single-Element Organometallic Oil Standards

Each standard is supplied with a Certificate of Analysis and is packaged in a 50 gram bottle.

Single-Element Organometallic Oil Standards				
Elements in Base Oil	Concentration	Weight	Matrix	Part #
Aluminum (Al)	1,000 µg/g	50 g	Base Oil 20	ORG-AL8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-AL8-4Z
Antimony (Sb)	1,000 µg/g	50 g	Base Oil 20	ORG-SB8-2Z
Arsenic (As)	1,000 µg/g	50 g	Base Oil 75	ORG-AS8-2Z
Barium (Ba)	1,000 µg/g	50 g	Base Oil 75	ORG-BA8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-BA8-4Z
Beryllium (Be)	1,000 µg/g	50 g	Base Oil 75	ORG-BE8-2Z
Bismuth (Bi)	1,000 µg/g	50 g	Base Oil 75	ORG-BI8-2Z
Boron (B)	1,000 µg/g	50 g	Base Oil 75	ORG-B8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-B8-4Z
Cadmium (Cd)	1,000 µg/g	50 g	Base Oil 75	ORG-CD8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-CD8-4Z
Calcium (Ca)	1,000 µg/g	50 g	Base Oil 75	ORG-CA8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-CA8-4Z
Chromium (Cr)	1,000 µg/g	50 g	Base Oil 75	ORG-CR8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-CR8-4Z
Cobalt (Co)	1,000 µg/g	50 g	Base Oil 75	ORG-CO8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-CO8-4Z
Copper (Cu)	1,000 µg/g	50 g	Base Oil 75	ORG-CU8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-CU8-4Z
Iron (Fe)	1,000 µg/g	50 g	Base Oil 75	ORG-FE8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-FE8-4Z
Lead (Pb)	1,000 µg/g	50 g	Base Oil 75	ORG-PB8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-PB8-4Z
Lithium (Li)	1,000 µg/g	50 g	Base Oil 20	ORG-LI8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-LI8-4Z
Magnesium (Mg)	1,000 µg/g	50 g	Base Oil 75	ORG-MG8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-MG8-4Z
Manganese (Mn)	1,000 µg/g	50 g	Base Oil 75	ORG-MN8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-MN8-4Z
Mercury (Hg)	1,000 µg/g	50 g	Base Oil 75	ORG-HG8-2Z
Molybdenum (Mo)	1,000 µg/g	50 g	Base Oil 75	ORG-MO8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-MO8-4Z
Nickel (Ni)	1,000 µg/g	50 g	Base Oil 75	ORG-NI8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-NI8-4Z
Phosphorus (P)	1,000 µg/g	50 g	Base Oil 75	ORG-P8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-P8-4Z
Potassium (K)	1,000 µg/g	50 g	Base Oil 75	ORG-K8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-K8-4Z
Scandium (Sc)	1,000 µg/g	50 g	Base Oil 75	ORG-SC8-2Z
Selenium (Se)	1,000 µg/g	50 g	Base Oil 75	ORG-SE8-2Z

Organometallic Oil Standards

Single-Element Organometallic Oil Standards (cont'd)

Single-Element Organometallic Oil Standards (cont'd)				
Elements in Base Oil	Concentration	Weight	Matrix	Part #
Silicon (Si)	1,000 µg/g	50 g	Base Oil 20	ORG-SI8-2Z
Silver (Ag)	1,000 µg/g	50 g	Base Oil 75	ORG-AG8-2Z
Sodium (Na)	1,000 µg/g	50 g	Base Oil 20	ORG-NA8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-NA8-4Z
Sulfur (S)	1,000 µg/g	50 g	Base Oil 75	ORG-S8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-S8-4Z
Thallium (Tl)	1,000 µg/g	50 g	Base Oil 20	ORG-TL8-2Z
Tin (Sn)	1,000 µg/g	50 g	Base Oil 20	ORG-SN8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-SN8-4Z
Titanium (Ti)	1,000 µg/g	50 g	Base Oil 20	ORG-TI8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-TI8-4Z
Vanadium (V)	1,000 µg/g	50 g	Base Oil 75	ORG-V8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-V8-4Z
Yttrium (Y)	1,000 µg/g	50 g	Base Oil 75	ORG-Y8-A-2Z
Zinc (Zn)	1,000 µg/g	50 g	Base Oil 20	ORG-ZN8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-ZN8-4Z
Zirconium (Zr)	1,000 µg/g	50 g	Base Oil 20	ORG-ZR8-2Z
	5,000 µg/g	50 g	Base Oil 75	ORG-ZR8-4Z

Multi-Element Organometallic Oil Standards

Multi-Element Organometallic Oil Standards, 23 Elements				
Elements in Base Oil	Concentration	Weight	Matrix	Part #
Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Si, Sn, Ti, V, Zn	100 µg/g	50 g	Base Oil 75	S23-100Z
	100 µg/g	100 g		S23-100Y
	300 µg/g	50 g		S23-300Z
	300 µg/g	100 g		S23-300Y
	500 µg/g	50 g		S23-500Z
	500 µg/g	100 g		S23-500Y
	900 µg/g	50 g		S23-900Z
	900 µg/g	100 g		S23-900Y

Multi-Element Organometallic Oil Standards, 21 Elements				
Elements in Base Oil	Concentration	Weight	Matrix	Part #
Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn	100 µg/g	50 g	Base Oil 75	S21-100Z
	100 µg/g	100 g		S21-100Y
	300 µg/g	50 g		S21-300Z
	300 µg/g	100 g		S21-300Y
	500 µg/g	50 g		S21-500Z
	500 µg/g	100 g		S21-500Y
	900 µg/g	50 g		S21-900Z
	900 µg/g	100 g		S21-900Y

Organometallic Oil Standards

Multi-Element Organometallic Oil Standards (cont'd)

Multi-Element Organometallic Oil Standards, 12 Elements				
Elements in Base Oil	Concentration	Weight	Matrix	Part #
Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn, Ti	100 µg/g	50 g	Base Oil 75	S12-100Z
	100 µg/g	100 g		S12-100Y
	500 µg/g	50 g		S12-500Z
	500 µg/g	100 g		S12-500Y
	900 µg/g	50 g		S12-900Z
	900 µg/g	100 g		S12-900Y

Multi-Element Organometallic Oil Standards, 5 Elements				
Elements in Base Oil	Concentration	Weight	Matrix	Part #
Ba, Ca, Mg, P, Zn	900 µg/g	50 g	Base Oil 75	AM-900Z
	900 µg/g	100 g		AM-900Y
	1,000 µg/g	50 g		AM-1000Z
	1,000 µg/g	100 g		AM-1000Y
	5,000 µg/g	50 g		AM-5000Z
	5,000 µg/g	100 g		AM-5000Y

Base Oil and Kerosene Blanks

Base Oil 20 and 75 are the same certified base oils that are used in our singles and multi-element blends.

Base Oil 20 Blank, 500 mL	
Matrix	Part #
Base Oil 20	BASE20

Base Oil 20 Blank, 1 Gallon	
Matrix	Part #
Base Oil 20	BASE20-G

Base Oil 75 Blank, 500 mL	
Matrix	Part #
Base Oil 75	BASE75

Base Oil 75 Blank, 1 Gallon	
Matrix	Part #
Base Oil 75	BASE75-G

Kerosene Blank, 500 mL	
Matrix	Part #
Kerosene	KER-BLK

Kerosene Blank, 1 Gallon	
Matrix	Part #
Kerosene	KER-BLK-G

Organometallic Oil Standards

B100 Biodiesel Standards

Governments worldwide have passed regulations that mandate lower levels of sulfur in biodiesel fuel. To comply with the implementation of these regulations, SPEX CertiPrep offers specifically designed Certified Reference Materials for industrial use. Our B100 Biodiesel Standards meet the requirements for testing ASTM Methods D6751, D5453 and EN 14214.

B100 Biodiesel Standards				
Description	Concentration	Volume	Matrix	Part #
Certified Matrix Blank	N/A	100 mL	B100	BF-BLKY
Certified Matrix Blank	N/A	500 mL	B100	BF-BLXX
Sulfur	5 µg/g	100 mL	B100	BFS-5Y
Sulfur	10 µg/g	100 mL	B100	BFS-10Y
Sulfur	15 µg/g	100 mL	B100	BFS-15Y
Sulfur	20 µg/g	100 mL	B100	BFS-20Y
Sulfur	25 µg/g	100 mL	B100	BFS-25Y
Sulfur	50 µg/g	100 mL	B100	BFS-50Y
Sulfur	100 µg/g	100 mL	B100	BFS-100Y
Ca, K, Mg, Na, P	5 µg/g	100 mL	B100	BFM-5Y
Ca, K, Mg, Na, P	10 µg/g	100 mL	B100	BFM-10Y
Ca, K, Mg, Na, P	20 µg/g	100 mL	B100	BFM-20Y

Sulfur Oil Standards for Diesel Fuel Analysis in Base Oil

Sulfur Oil Standards for Diesel Fuel Analysis in Base Oil				
Description	Concentration	Volume	Matrix	Part #
Sulfur Blank	0 µg/g	100 mL	Base Oil 20	DSS8-Y
Sulfur	5 µg/g	100 mL	Base Oil 20	DSS8-5Y
Sulfur	10 µg/g	100 mL	Base Oil 20	DSS8-10Y
Sulfur	15 µg/g	100 mL	Base Oil 20	DSS8-15Y
Sulfur	20 µg/g	100 mL	Base Oil 20	DSS8-20Y
Sulfur	25 µg/g	100 mL	Base Oil 20	DSS8-25Y
Sulfur	50 µg/g	100 mL	Base Oil 20	DSS8-AY
Sulfur	75 µg/g	100 mL	Base Oil 20	DSS8-75Y
Sulfur	100 µg/g	100 mL	Base Oil 20	DSS8-1Y
Sulfur	200 µg/g	100 mL	Base Oil 20	DSS8-BY
Sulfur	300 µg/g	100 mL	Base Oil 20	DSS8-CY
Sulfur	500 µg/g	100 mL	Base Oil 20	DSS8-1AY
Sulfur	750 µg/g	100 mL	Base Oil 20	DSS8-1BY
Sulfur	1,000 µg/g	100 mL	Base Oil 20	DSS8-2Y